Product Support Checklist

Instructions:

Use this form an aid to thorough and complete cast stone ordering, helping you gather all necessary information

Product Group Name

Address Blocks

- Use Generic or Unit Sheets for Address Blocks
- Select the Unit ID # for the Address Block
- [] (If Applicable) Make modification notes on Unit Sheet
- Select the Profile shape for an Address Block
- Verify the Unit Size (X Height, Y Length, Z Width)
- Calculate quantity
- Verify maximum characters available for each Address Block
- Verify the copy (characters) for each Address block
- Custom font: Include a hard copy sample for reference (upcharges apply)
- Select stone color

Keystones

- Use Generic or Unit Sheets for Keystones
- Select the Profile for each Keystone
- Verify the Unit Size
- Calculate quantity
- Select stone color
- Will the keystone be installed into a surround?
- □ Is the opening surround single or double sided?

Surrounds - Window

- Use Generic or Unit Sheets for Surround Windows
- Identify all basic Window Types
- Select the Profile shape for each Window Type
- □ Verify the Unit Size
- Calculate quantities of each surround (organized by basic Type and Size)
- Select stone color
- (If Applicable) Sill Profile: Select Sill Profile or Unit
- Sill Profile: Verify Sill Dimensions are compatible with Surround Profile
- (If Applicable) Keystone Profile: Select Keystone Profile or Unit
- C Keystone Profile: Verify Keystone Dimensions are compatible with Surround Profile
- (If Applicable) Crown, Ears, Wings, Plinths: Mark correct checkboxes on Generic Sheet / Hand write modification on Sheet or Insert appropriate Unit sheets
- Crown, Plinths: Select associated Profiles and Verify Dimensions are compatible with Surround Profile
- Is the window-opening surround single or double sided?
- Is there a jamb / soffit behind the surround?
- Are you aware that a circle top on a radius wall is a compound radius?
- Have the windows been ordered or do you have the Window Schedule Information?

Surrounds - Door

- Use Generic or Unit Sheets for Surround Doors
- Identify all basic Door Types
- Select the Profile shape for each Door Type
- Verify the Unit Size
- Calculate quantities of each surround (organized by basic Type and Size)
- Select stone color
- Door using Multiple Profile Checklist Use Generic or Unit Sheets for Surround Doors
- (If Applicable) Threshold Profile: Select Threshold Profile or Unit

- Threshold Profile: Verify Threshold Dimensions are compatible with Surround Profile
- [] (If Applicable) Keystone Profile: Select Keystone Profile or Unit (If Applicable)
- **I** Keystone Profile: Verify Keystone Dimensions are compatible with Surround Profile
- [] (If Applicable) Use Generic w/ Modifiers or Unit Sheets for Surround Doors
- (If Applicable) Crown, Ears, Wings: Mark correct checkboxes on Generic Sheet / Hand write modification on Sheet or Insert appropriate Unit sheets
- (If Applicable) Crown: Select associated Profiles
- Crown: Verify Dimensions are compatible with Surround Profile

Jack Arches

- Use Generic or Unit Sheets for Jackarches
- Identify all basic surround shapes or opening types requiring a Jackarch
- Select the Profile for each identified Jackarch
- Verify the Unit Size
- Calculate quantities of each surround (organized by basic shape and control dimensions)
- Select stone color
- If adding a keystone, continue to Keystone Checklist
- □ Use Generic or Unit Sheets for placing Keystones with a Jackarches
- [] (If Applicable) Keystone Profile: Select Keystone Profile
- C Keystone Profile: Verify Keystone control dimensions are compatible with Surround Profile

Landscape Pier Caps

- Use Generic or Unit Sheets for Caps for Landscape Piers
- Select the Landscape Pier Cap Unit Name / Profile
- Select the Cap Primary View (Slight Slope, Flat Top, or Steeple)
- Verify the Unit Cap Size
- Calculate quantity
- Select stone color
- Have you considered adding a Finial, Sphere, or Urn?
- [] (If Applicable) Select the Finialand Use Generic or Unit Sheets for Finials
- C Verify that Finial control dimensions are compatible with (P) of Pier Cap (If Applicable)
- Is the setting bed dimension ,(ZZ), equal to or larger than the pier it will rest upon?
- Will pre-drilled holes be required for electrical or structural features?

Finials

- Use Generic or Unit Sheets for Finials
- Select the Finial shape
- Verify the Unit Sizes
- Calculate quantity
- Select stone color
- (If Applicable) Pier Cap: Verify that Finial setting bed dimension (ZZ) is equal to or smaller than the Pier Caps flat space dimension (P)

Landscape Wall Caps

- Use Generic or Unit Sheets for Caps for Walls
- Select the Wall Cap Unit Name / Profile
- Select the Wall Cap Primary View (Slight Slope, Flat Top, or Steeple)
- □ Is this a Half view installation of the Profile?
- Verify the Unit Cap Size
- Calculate quantity
- Select stone color
- (If Applicable) Select the Finial and Use Generic or Unit Sheets for Finials
- I (If Applicable) Verify that Finial Size are compatible with (P) of the Wall Cap
- If no Finial or Pier Caps, do you want to have finished ends?
- Is the setting bed dimension (ZZ) equal to or larger than the wall it will rest upon?
- [I] (If Applicable) Will pre-drilled holes be required for electrical or structural features?

Have you considered adding a Finial, Sphere, or Urn?

Quoins

- Use Generic or Unit Sheets for Quoins
- Select the Quoin Profile
- Determine whether quoins will be One Piece or Two Piece
- Verify the Unit Size
- Determine how quoins will be stacked
- Calculate quantities
- Select stone color
- D Quoins have finished ends that make field cutting undesirable.
- Have you determined the type of stacking method desired?

Watertable

- Use Generic or Unit Sheets for Watertables
- Select the Watertable Profile shape
- Calculate the linear footage for the installation
- Determine the number of each Standard Part required for installation (Cope Outside Left, Cope Outside Right, Straight)
- Calculate Part quantities
- Verify the Unit Size
- Select stone color
- Have you decided to field miter the inside corners, or to install cast inside corners? (Cope Inside Left, Cope Inside Right)
- Have you decided to order standard sized parts for cut in the field, or to order pre-sized parts for installation?
- Have you looked at adding Veneers to your wall facing as an additional enhancing product?

Entablature

- Use Generic or Unit Sheets for Entablatures and other Single Sided Profiles
- Select the Entablature Profile(s)
- (If more than one profile) Determine Stacking Order
- Verify Profiles are compatible based on the setting line (refer to Interface drawings)
- Calculate the linear footage of the installation
- Determine the number of each standard part required for installation (Cope Outside Left, Cope Outside Right, Straight)
- Verify the Unit Size
- Calculate quantities of each standard part
- Select stone color
- Continue for optional Inside Corners Options Checklist
- Use Generic or Unit Sheets for Entablature
- Field Mitering? Determine whether to field miter inside corners or install cast inside corners.

Some Masons may charge you more per cut than what we would charge to just make the part the way you need it.

- The major difference is cast joints look tighter and better than even the most skilled of MasonÆs mitered cuts.
- I You also place the risk of mistakes and damaged joints that can degrade life span of the product.
- Inside Corners: Determine the number of inside corners required for installation (if applicable Cope Inside Left, Cope Inside Right)

Balustrade

- Use Generic or Unit Sheets for Balustrade
- Select the Balustrade style
- Calculate the linear footage required for the installation
- Verify the Unit Size (X Height, Y Length, Z Width)
- Calculate quantity of units required
- Select stone color
- (If Applicable) Continue to Stair Balustrade Checklist

- Use Generic or Unit Sheets for Stair Balustrade
- Calculate the linear footage required for the installation
- Verify the Unit Size (X Height, Y Length, Z Width)
- Verify Lug and other grade design options
- Calculate quantity of units required
- I (If Applicable) Continue to Newel Pier Checklist
- □ Use Generic or Unit Sheets for Newel Piers
- Verify the Unit control dimensions
- Calculate quantity of Newel Piers required

Plinths

- Use Generic or Unit Sheets for Plinths
- Select the Unit Name or Profile for the Plinth
- Verify the Unit Size
- Calculate quantities
- Select stone color
- Are the width (X) and the depth (Z) adequate to accommodate the interfacing profile?
- Are there considerations for Load or Weight bearing base plinths supporting other stones?

Window Sills

- Use Generic or Unit Sheets for Window Sills
- Identify all basic Window Shapes
- Select the Window Surround Profile for each Window Shape
- Select the Window Sill Profile for each Window Shape
- Verify the Unit Size
- Calculate quantities of each Surround + Sill (organized by basic shape and control dimensions)
- Select stone color

Columns

- Use Generic or Unit Sheets for Columns
- Select the Column Cap Style (Corinthian, Temple of the Winds, Ionic, Tuscan, Doric, Verona)
- Select the desired Primary Column View (Entasis, Straight or Tapered)
- Select the desired Modifying Column Feel (Smooth or Fluted)
- Select the Modifying Column details (Hollow or Solid)
- Verify the Unit Size (X Height, Y Length, Z Width)
- Calculate quantities of each surround (organized by basic shape and control dimensions)
- Select stone color

Entries

- Use Generic Sheets for custom or unspecified based Entries
- Select the Profile shape for an Entry
- Verify the Unit overall Size (X Height, Y Length, Z Width)
- C Verify the additional Size requirements (XX, ZZ or YY Dimensions)
- **U** Verify additional features for each Entry (Balustrade, Columns, Cornices, Palladium or Others)
- Calculate quantity
- Select stone color
- (If Applicable) Select the Unit ID # for the Entry and Use Unit Sheets for crumbled or Unit ID based Entries
- (*If crumpling this Unit) Make modification notes on Unit Sheet
- Select stone color
- Calculate quantity

Signage

- Use Generic or Unit Sheets for Signage
- Select the Profile or Unit ID for each Signage
- □ Verify the Unit Size (X, Y, and Z Dimensions)
- D Verify any artwork or concepts with Photo, or Visual aid, of Custom Signage

- Calculate quantity
- Select stone color
- Have you thought about some of the other stone products we offer like Panels, Coping, Mailboxes, or others, that will enhance your projects overall look and appeal?

Planters

- □ Use Generic or Unit Sheets for Planters
- □ Select the Profile or Unit ID for each Planter
- Verify the Unit Size (X, Y and Z Dimensions)
- Verify any artwork or concepts with Photo or Visual aid of Custom Planters
- Calculate quantity
- Select stone color
- We offer other stone products like Statues, Fountains, benches, and tables, that will enhance your landscapes overall look?

Urns

- Use Generic or Unit Sheets for Urns
- Select the Profile or Unit ID for each Urn
- □ Verify the Unit Size (X, Y, and Z Dimensions)
- Verify any artwork or concepts with Photo or Visual aid of Custom Urns
- Calculate quantity
- Select stone color
- Have you thought about some of the other stone products we offer like Statues, Fountains, Benches, and Tables that might go well with an Urn?
- □ Is this Urn going to be sitting on something?
- Have you thought about adding a Plinth or Pedestal

Pool Coping

- Use Generic or Unit Sheets for Pool Copings and other Single Sided Profiles
- Select the Pool Coping Profile(s)
- Verify the Unit Size
- If used with Pavers, determine Profiles are compatible with Paver sizes
- Calculate the linear footage of the installation
- Determine the number of each standard part required for installation (Cope Outside Left, Cope Outside Right, Straight)
- Calculate quantities of each standard part
- Select stone color
- [] (If Applicable) Field Mitering: Determine whether to field miter inside corners or install cast inside corners
- (If Applicable) Inside Corners: Determine the number of inside corners required for installation (Cope Inside Left, Cope Inside Right)
- Will the order be for standard sized parts for cutting in the field or order pre-sized parts?
- Have you verified that stock parts, with repeating patterns, will work within the Pool Coping?
- Have you considered the addition of fountains, urns, or statues with this project?
- Have you considered using a double-sided profile?

Ornaments

- Select the Profile or Unit ID for each Ornament
- Verify the Unit Size (Y, Z XX, YY and Radius Dimensions)
- Verify artwork or artist concepts with Photo or Visual aid of Ornament
- Calculate quantity
- Select stone color
- How are you planing to use the Ornament? If on Top of a wall, a panel insert, as veneer, or other usage, may require further review for assembly and intersection review?

Mailboxes

Use Generic or Unit Sheets for Mailboxes

- Select the Profile or Unit ID for each Mailbox
- Verify the Unit Size (X, Y and Z Dimensions)
- Verify the Mailbox opening requirements
- Calculate quantity
- Select stone color
- Will you be using a standard Mailbox or Custom Slot for Mail?
- Have you considered additional finishing, coloring or textures for the Mailbox?

Steps

- Use Generic or Unit Sheets for Steps
- Select the Step Profile shape or Unit ID
- Calculate the linear footage for the installation
- Determine Riser specifications if planning to use risers.
- □ If using risers select the Riser Profile.
- Determine the number of each Standard Part required for installation (Cope Outside Left, Cope Outside Right, Straight)
- Calculate Part quantities
- □ Verify the Unit Size
- Select stone color
- Have you decided to field miter the inside corners, or to install cast inside corners? (Cope Inside Left, Cope Inside Right)
- Have you decided to order standard sized parts, for cut in the field, or to order pre-sized parts for installation?
- Have you looked at adding Pavers to your Steps as an additional enhancing product?

Pavers

- Use Generic or Unit Sheets for Pavers
- Select the Profile or Unit ID for each Paver
- Verify the Unit Size (X, Y and Z Dimensions)
- D Verify artwork or artist concepts with Photo or Visual aid of Custom Pavers
- Calculate Square Footage of area to cover with Paving stones
- Calculate quantity (Base on covering the Square Feet of Area)
- Select stone color
- Have you thought about some of the cutting options or install design options that will enhance your look?
- Have you looked into our inventory of Smooth and Coral textured Wall Veneers these could be used as Pavers? (Saving you time and money)

Benches

- Use Generic or Unit Sheets for Benches
- Select the Profile or Unit ID for each Bench
- Verify the Unit Size
- Calculate quantity
- Select stone color

Tables

- Use Generic or Unit Sheets for Tables
- Select the Profile or Unit ID for each Table
- Verify the Unit Size
- Calculate quantity
- Select stone color
- Have you considered adding a Bench, Urn or Paving stones?

Gazebos

- Use Generic or Unit Sheets for Gazebos
- Select the Profile or Unit ID for each Gazebo
- C Verify the Unit Size (Y, XX, YY and Radius Dimensions)
- Calculate quantity

- Select stone color
- Have you considered adding a Table, Urn or Paving stones to this application?

Chimney Caps

- Use Generic or Unit Sheets for Caps for Chimneys
- Select the Chimney Cap Unit ID or Profile
- Select the Cap Primary View (Slight Slope, Rectangular, or Coped)
- Verify the Unit Cap Size
- Calculate quantity
- Select stone color

Fireplaces

Banding

- Use Generic or Unit Sheets for Banding
- Select the Banding Profile shape
- Calculate the linear footage for the installation
- Determine the number of each Standard Part required for installation (Cope Outside Left, Cope Outside Right, Straight)
- Calculate Part quantities
- Verify the Unit Size
- Select stone color

Fountains

- □ Use Generic or Unit Sheets for Fountains
- Select the Profile or Unit ID for each Fountain
- Verify the Unit Size
- Verify Photo or Visual aid for fountain centerpiece
- Calculate quantity
- Select stone color
- Have you considered adding a Table, Urn or Paving stones?

Panels

- Use Generic or Unit Sheets for Panels
- Select the Profile or Unit ID for each Panel
- □ Verify the Unit Size (X, Y and Z Dimensions)
- Verify artwork or artist concepts with Photo or Visual aid of Custom Panels
- Calculate Square Footage of area to Panel
- Calculate quantity (Base on covering the Square Feet of Area)
- Select stone color
- This completes Checklist for Panels
- Have you thought about some of the cutting options or install design options that will enhance your look?
- Have you thought about using Coping, Banding or Watertable surrounds to add character to Paneled walls and help break up the lateral surface?
- Have you looked into our inventory of Smooth and Coral textured Wall Veneers? (Discounted prices and already made products to save time and money with)

Niches

- Use Generic or Unit Sheets for Niches
- Select the Profile or Unit ID for each Niche
- Verify the Unit Size (Y, Z XX, YY and Radius Dimensions)
- Calculate quantity
- Select stone color
- Have you considered adding a Bench, Urn or Statue / Figurine to your Niche application?

Statuary

- Use Generic or Unit Sheets for Statuary
- Select the Profile or Unit ID for each Statuary
- Verify the Unit Size (X, Y, and Z Dimensions)
- Urify any artwork or concepts with Photo or Visual aid for Custom Statuary
- Calculate quantity
- Select stone color
- Have you thought about some of the other stone products we offer, like a Plinth for the Statue to rest on?