

Extracted from:  
**Stone Legends**  
**First Edition**  
**Catalog**

## The Legend of Stone

### What is a Unit?

Simply speaking, a Unit is a unique assembly of Masonry Parts. Depending on the Unit, the number of masonry parts can range from a one to hundreds of parts. Also, Units can be combined to make larger unique Units.



*Chamfer 1.  
Unit ID 1261.*

*Address Block Unit  
containing 1 part.*

An Address Block Unit will only have a single part, where a Surround Unit or an Entry Unit will have many parts. No matter the number of parts involved, each Unit can be easily identified by its Surname or its numeric Unit ID.




*Nexus Quatrefoil.  
Unit ID 95.*

*Surround Unit  
containing 4 parts.*



*Warwick Manor3.  
Unit ID 14192.*

*Entry Unit  
containing  
165 masonry parts.*



*Cross Section of  
Warwick Manor3 Entry.  
Unit ID 14192.  
(Structural Support for  
Units supplied by others.)*

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

# STONE LEGENDS

## Legend / Unit Search


### How do I search for Units?

The **Stone Legends Catalog** is designed and organized with the Internet in mind. Therefore, searching the catalog can range from a broad search down to a specific search. This also means that there is more than one way to search for units.

Type Description <sup>(A)</sup>	Primary View <sup>(B)</sup>	View Modifiers <sup>(C)</sup>	Surname <sup>(D)</sup>	Unit ID	Cost Factor	Weight
Caps For Landscape Piers	Flat Top	360 Degree	Cornel			
	X	Z&Y	XX	ZZ	P	
Cornel1	5"	21 1/2"	4"	18"	12"	1033
Cornel4	5"	24 1/2"	4"	21"	15"	13883
Cornel2	5"	28 1/2"	4"	25"	19"	13972
Cornel3	5"	32 1/2"	4"	29"	23"	13929
Cornel5	9 1/4"	39 1/2"	8 1/8"	32"	22"	13881
						14095
						1045

Unit List.

This catalog is based on units, so the first thing to do is familiarize yourself with the **Unit List**, shown above. The unit list contains all of the key elements that this catalog's organization and structure, as well as everything that you need to know about a unit.



The unit search path is also based on the Unit List and the Nomenclature that it is derived from. With each step taken, you narrow your search field by disregarding units that do not fit the search parameters.

*A Product Chapter holds many kinds of units. By narrowing your search path to a specific Unit Type Description (Entries) and a specific Primary View (CircleTop), you can have narrow the search down to the units that will fit your project.*

*The Organization Guide at left is displayed in the introduction to each chapter. The numbers to the left will show the order in which the each chapter is organized.*

# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

## Legend / Unit Type Description

The first division of the Unit Search is Use.

Called in our system: **UnitTypeDescription.**  
Most of the TypeDescriptions are self-explanatory.

It answers the question:  
**What is the unit to be used for?**

*Use*  
*Unit Type*  
*Description*

### UnitType Descriptions:

AddressBlock  
Balustrade  
Banding  
Benches  
CapChimney  
CapParapet&Wall  
CapsForLandscapePier  
CapsForLandscapeWall  
Column  
ColumnPilaster  
Corbel  
Cornice  
Crown  
Entablature


Entry  
Extrusion  
Finial  
Finishes  
FirePlaceHearth  
FirePlaceMantelLower  
FirePlaceMantelOver  
FirePlaceSurround  
FirePlaceUpperMantel  
Fountain  
Gazebo  
JackArch  
Keystone

Lintel  
MailBox  
NewelPier  
Niche  
Ornaments  
Panel  
Pavers  
Pedestal  
Piediment  
Planter  
Plinth  
PoolCoping  
Profile

Quoins  
Signage  
Sill  
Stair  
Statuary  
Steps  
SurroundDoor  
SurroundWindow  
Table  
Urn  
Vent  
WaterTable



*Entry*



*SurroundWindow*



*Planter*



*CapsForLandscapePier*

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

**STONE LEGENDS**

## Legend / Primary View

# Shape

## Primary View

In most cases, the next question is:  
**What Shape do I want the unit to have?**

This is the **Primary View**.

A door surround, for instance, can have a square top, or a radius top. A cap for brick pier could be flat on top, or sloped to some degree. A column can have a straight shaft from top to bottom or taper from the bottom of the shaft to the capital. This depends on the overall look you are trying to achieve.

### Primary Views:

45Degree

90Degree

Alcove

Animaleer

Art

Banded

Base

Batman

BatmanRecess

BatmanSlant

Bay

Bow

Bowl

Cap

CircleTop

CircleTopDouble

CircleTopMulti

CircleTopTriple

Circular

CompoundRadius

Coped

Corbel

Cylindrical

DecorativeLegs

Dentil

DoubleStepOut

Elliptical

EllipticalTop

Entasis

Eyebrow

EyebrowDouble

EyebrowTriple

Figurine

FlatFace

FlatFaceSlant

FlatTop

Fluted

FullFacade

Gable

GothicArch

Grade

Half

Hanging

Heads

Helical

Horizontal

Inline

Lintel

Lugs

Octagonal

OnePiece

Ornament

Palladium

Panel

PassThrough

Pattern

Pediment

PictureFrame

Portico

Quatrefoil

Radius

RadiusWall

Raised

Random

Recessed

Rectangular

Rope

Round

Screening

Shaft

SlightSlope

SpecialShape

Specialty

Sphere

Square

SquareTop

Stacked

Staggered

Standard

Steeple

Straight

Tapered

Template

Tiered

TwoPiece

U-Shape

Urn

Vertical

Volute

Wall



SquareTop




CircleTop



Eyebrow



Grade



Flat

# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

## Legend / Modifiers

The **Modifiers** describe any options added to a **unit** to help determine the final look. Single piece units can also be modifiers for a larger, more complex unit. For instance, adding a keystone to a window surround, or columns to an entry changes the look slightly.




### Modifiers:

180Degree  
270Degree  
360Degree  
45Degree  
90Degree  
Animaleer  
Art  
Baluster  
Balustrade  
Banded  
Banding  
BarleyTwist  
Base  
Bay  
Bow  
Bowl  
Bracket  
Buttress  
Cap  
CircleTop  
CircleTopMulti  
Circular

Column  
ColumnPilastr  
Coped  
Corbel  
Crown  
DecorativeLegs  
Dentil  
DividersHorizontal  
DividersVertical  
DoubleSide  
Ear  
EasingOver  
EasingUp  
EllipticalTop  
Entablature  
Eyebrow  
Figurine  
Finial  
FinishedEnd  
Flat  
FlatTop  
Fluted

Frieze  
Gable  
GothicArch  
Half  
Hollow  
Jamb  
Key  
Leg  
NewelPier  
Niche  
Octagonal  
OnePiece  
Ornament  
OverMantel  
Palladium  
Panel  
Pedestal  
Pediment  
PictureFrame  
Plinth  
Quoins  
Radius

RadiusWall  
Rectangular  
Rope  
Round  
Shaft  
Sill  
SlightSlope  
Smooth  
Soffit  
Solid  
SpecialShape  
Square  
SquareTop  
Stacked  
Staggered  
Straight  
Treads  
TwoPiece  
Urn  
Volute  
Wings



301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS




## Legend / Dimensions

Size


Dimensions

**Dimensions** describe the final size of a Unit and allow you to distinguish among similar Units based on size. For example, we have many virtually identical pier caps, the only difference being the overall width and depth of the cap, designed to fit on different sized piers.

**Control Dimensions** are supplied in the Unit List.


These dimensions are the most critical dimensions required to verify that the Unit will fit where needed. In many instances, you will see the (  ) symbol which indicates that the Units have been sorted by a critical Control Dimension.

Type Description	Primary View			View Modifiers		Surname			
<b>Caps For Landscape Piers</b>	<b>Flat Top</b>			<b>360 Degree</b>		<b>Cornel</b>			
	X	Z&Y	XX	ZZ	P	Unit ID	Cost Factor	Weight	
Cornel1	5"	21 1/2"	4"	18"	12"	1033	2900	150	
Cornel4	5"	24 1/2"	4"	21"	15"	13883	3733	225	
Cornel2	5"	28 1/2"	4"	25"	19"	13972	5049	350	
Cornel3	5"	32 1/2"	4"	29"	23"	13929	6568	375	
Cornel5	9 1/2"	39 1/2"	8 1/2"	32"	22"	13881	14095	1045	



Unit List: control dimensions highlighted.

### Dimension Guide




**Control Dimension Legends** will also be shown in each Product Chapter. Specific Shape Legends are shown adjacent to the Unit List. In several instances, such as Entries and Balustrade, Generic Legends will be used throughout the chapter.

The Dimension Guide Legend, example left, is located in the introduction of each chapter. The following page shows other examples of Unit Dimension Legends, and the dimensional code definitions.

**STONE LEGENDS**

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com



# The Legend of Stone



Generic Entry Dimension

Legend;

Chapter 1: First Impressions.



Chapter 7: Patio and Pool

**Control Dimensions** listed below are considered **Unit Dimensions**. These dimension codes apply most units.

- X** Width of a unit. A control dimension.  
Example: width of the masonry opening of a door, window, entry or fireplace. Diameter of a column at the base.
- XX** Overall maximum width of a unit.
- Z** Maximum depth of stone in a unit, as in the depth of the mantel cap for a fireplace. Diameter of a column at the base.
- ZZ** Secondary depth of a unit.  
Example: depth of a leg at base of an entry.
- Y** Height of a unit. A control dimension.  
Example: height of the masonry opening of a door, window, entry or fireplace. Height of a column, newel pier or urn.
- YY** Overall maximum height of a unit.
- R** Radius of a Unit.
- RR** Secondary radius of a Unit as in an elliptical window or multi-arched entry with arches of different radii.
- D** Diameter of a Unit.
- A** Angle in degrees (modifier of a unit type such as a 45° newel)
- B** Rise of an Unit. For instance the interior height eyebrow or elliptical window or entry or the height of a helical staircase.

*Note: Variations exist in Chapter 2: Columns and Pedestals and Chapter 11: Profiles-The DNA of Stone. These variations are explained in their respective chapters.*



## Legend / Surname

**Name**

**Surname**

### Surname

Similar units have related names to make them easier for you to find. Units are named by strict rules that follow the complexity of the Units themselves.

### Single Name Units

The simpler the unit, the simpler the name. Single name units are of two types: Single pieces of stone, such as Keystones or Pier Caps, or linear feet of a single profile. Similar profile shapes have names that start with the same first one or two letters to make them easier to find. Different sizes of the same profile are numbered to distinguish them.



*Chamfer1.  
Unit ID 1261.*



*Jamison1.  
Extrusion  
Straight.  
Unit ID 11626.*



*Jamison2A MarcusSlope2.  
Unit ID 80.*

### Double Name Units or Married Profiles

More complex units require names that either more fully describe the unit or point to related units. For instance, if you add a sill to a window surround, it "gets married" and adds the sill name to its own. The main surround profile comes first, but it is the Surname or lineage. The sill is the second name. Further complexities will be added with options, but these are described in Modifiers, not in the Surname.

### Stand-Alone Units

Very complex units, like entries, fireplace surrounds and some fountains, do not relate to individual profiles at all. These are given names that are primarily for marketing. However, similar units will still have similar names.



*Pendleton  
Crest.  
Unit ID 780.*

**STONE LEGENDS**

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)